

HDK ELECTRIC VEHICLE



COMPANYBRIEF INTRODUCTION

HDK ELECTRIC VEHICLE was founded in 2006, the brand HDK is US brand, with head office in California, USA and branch office in Floriada, USA. The factory is located in the famous costal city in XiaMen.It occupies more than 60000 square meters in XinYang Industrial Area, and more than 88000 square meters in DongFu Industrial Area.HDK has built more than 150000 electric carts, golf carts,hunting carts,utility vehicles and buses.

HDK electric carts with USA advanced technology, accessories and French design. It is the most efficient and economical electric carts in the world today. HDK products are widely used in Golf courses ,Resorts, Parks ,Airports ,Schools, Mines,Farms, etc. It has over 200 dealers and distributors all over the world. This network provides high quality ,prompt service and warranty to customers. We sure that HDK products will be your best choice!



Floriada Office



California Office





Assembling Factories lacated in Xiamen, China





- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body

DIMENSIONS

• 2380×1400×1830mm





SPEC.

- 2 passengers
- 48V 4KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 10" Aluminum wheel 205/50-10 tire
- · Beige color seat
- Lithium battery















HDK ELECTRIC VEHICLE





- Automotive designed dashboard, color matched body.
- USB socket+12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body
- New plastic folding rear seat W/ Storage Compartment & water holder

DIMENSIONS

• 2860×1400×1930mm

LITHIUM LITHIUM

●5 YEAR WARRANY ●NO MAINTENANCE ●ALUMINUM PACK

SPEC.

- 2380x1400x1830mm
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body
- Two-tone luxury leather seats
- Automotive designed dashboard, color matched body.
- Folding rear seat with strorage compartment & water holder
- 215/35R14" radial tires & 14" alloy rims with color decorative trim
- USB socket + 12V power outlet
- 9" bluetooth touch screen (Radio, Music, Speedometer, Bluetooth, Back-up camera, Car-net App connection)

POWER

- 48V Lithium battery pack
- 48V 4KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 1200W on-board charger faster charging
- Limited speed 40kph



9" Bluetooth Touchscreen W/Backup Camera



USB Socket + 12V Power Outlet Color matched dashboard



14" Color Matched Radial Tires



Car Stereo



Two tone seats

Color matching standard















HDK ELECTRIC VEHICLE



CLASSIC 4

www.hdkexpress.com



BODY & CHASSIS

- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body
- New plastic folding rear seat W/ Storage Compartment & water holder

DIMENSIONS

• 2860×1400×1930mm





SPEC.

- 4 passengers
- 48V 4KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 10" Aluminum wheel 205/50-10 tire
- Beige color seat
- Lithium battery















HDK ELECTRIC VEHICLE



LITHIUM LITHIUM

●5 YEAR WARRANY ●NO MAINTENANCE ●ALUMINUM PACK

SPEC.

- 2860x1400x1930mm
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body
- Two-tone luxury leather seats
- · Automotive designed dashboard, color matched body.
- Folding rear seat with strorage compartment & water holder
- 215/35R14" radial tires & 14" alloy rims with color decorative trim
- USB socket + 12V power outlet
- 9" bluetooth touch screen (Radio, Music, Speedometer, Bluetooth, Back-up camera, Car-net App connection)

POWER

- 48V Lithium battery pack
- 48V 4KW AC motor

BODY & CHASSIS

color matched body.

and rear body

DIMENSIONS • 2860×1400×1930mm

• Automotive designed dashboard,

 USB socket+12V powder outlet • E-coat and powder coated chassis • TPO injection moulding front cowl

 New plastic folding rear seat W/ Storage Compartment & water holder

- EV48-400 AC Controller 400 AMP
- 48V 1200W on-board charger faster charging
- Limited speed 40kph



9" Bluetooth Touchscreen W/Backup Camera



USB Socket + 12V Power Outlet Color matched dashboard



14" Color Matched Radial Tires



Car Stereo



Two tone seats

CLASSIC 4 PLUS


www.hdkexpress.com














HDK ELECTRIC VEHICLE





- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body

DIMENSIONS

• 3180×1400×1930mm





SPEC.

- 4 passengers
- 48V 4KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 10" Aluminum wheel 205/50-10 tire
- Beige color seat
- Lithium battery
















HDK ELECTRIC VEHICLE





- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowleand rear body
 New plastic folding rear seat W/
- New plastic folding rear seat W/
 Storage Compartment & water
 holder

DIMENSIONS

• 3660×1400×1930mm



SPEC.

- 6 passengers
- 48V 6.3KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 10" Aluminum wheel 205/50-10 tire
- Beige color seat
- Lithium battery
















HDK ELECTRIC VEHICLE





- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body

DIMENSIONS

• 3980×1400×1930mm





SPEC.

- 6 passengers
- 48V 6.3KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 10" Aluminum wheel 205/50-10 tire
- · Beige color seat
- Lithium battery
















HDK ELECTRIC VEHICLE



CARRIER 8

www.hdkexpress.com



BODY & CHASSIS

- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body
- New plastic folding rear seat W/ Storage Compartment & water holder

DIMENSIONS

• 4460×1400×1930mm





SPEC.

- 8 passengers
- 48V 6.3KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 10" Aluminum wheel 205/50-10 tire
- · Beige color seat
- Lithium battery
















HDK ELECTRIC VEHICLE





- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body

DIMENSIONS

• 2380×1400×1830mm



EEC approved light system



EEC approved swithches



SPEC.

- 2 passengers
- 48V 4KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 10" Aluminum wheel 205/50-10 E-mark tire
- Lithium battery E-mark approved windshield with wiper
- E-mark three point seat belts
- E-mark reflector
- EEC approved horns, lights and switches
- VIN plate and license plate
- Hydraulic brake
- Speedometer
- · Beige color seat



E-mark reflector



9" bluetooth touchscreen W/back-up camera



E-mark tire












HDK ELECTRIC VEHICLE





- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body

DIMENSIONS

- 2700×1400×1830mm
- Cargo box:1100×900×275mm



SPEC.

- 2 passengers
- 48V 4KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 10" Aluminum wheel 205/50-10 tire
- Beige color seat
- Lithium battery
















HDK ELECTRIC VEHICLE





- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body

DIMENSIONS

- 3330×1400×1830mm
- Aluminum Cargo box: 1100×1650×275mm





SPEC.

- 2 passengers
- 48V 6.3KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 10" Aluminum wheel 205/50-10 tire
- Beige color seat
- Lithium battery
















HDK ELECTRIC VEHICLE







- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body

DIMENSIONS

2480×1400×2000mm





SPEC.

- 2 passengers
- 48V 6.3KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- · Limited speed 30kph
- 215/35R14" off road tire & 14" alloy rims with color decorative trim
- Beige color seat
- Lithium battery















HDK ELECTRIC VEHICLE





LITHIUM LITHIUM

●5 YEAR WARRANY ●NO MAINTENANCE ●ALUMINUM PACK

SPEC.

- 2480x1400x2000mm
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body
- Two-tone luxury leather seats
- Automotive designed dashboard, color matched body.
- Folding rear seat with strorage compartment & water holder
- 215/35R14" off road tire & 14" alloy rims with color decorative trim
- USB socket + 12V power outlet
- 9" bluetooth touch screen
 (Radio, Music, Speedometer, Bluetooth, Back-up camera, Car-net App connection)

POWER

- 48V Lithium battery pack
- 48V 6.3KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 1200W on-board charger faster charging
- Limited speed 30kph



9" Bluetooth Touchscreen W/Backup Camera



USB Socket + 12V Power Outlet Color matched dashboard



14" Color Matched Off Road Tire



Car Stereo



Two tone seats

Color matching standard














HDK ELECTRIC VEHICLE





- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body
- New plastic folding rear seat W/ Storage Compartment & water holder

DIMENSIONS

• 2960×1400×2100mm





SPEC.

- 4 passengers
- 48V 6.3KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 215/35R14" off road tire & 14" alloy rims with color decorative trim
- · Beige color seat
- Lithium battery
















HDK ELECTRIC VEHICLE





LITHIUM LITHIUM

●5 YEAR WARRANY ●NO MAINTENANCE ●ALUMINUM PACK

SPEC.

- 2960x1400x2100mm
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body
- Two-tone luxury leather seats
- Automotive designed dashboard, color matched body.
- Folding rear seat with strorage compartment & water holder
- 215/35R14" off road tire & 14" alloy rims with color decorative trim
- USB socket + 12V power outlet
- 9" bluetooth touch screen (Radio, Music, Speedometer, Bluetooth, Back-up camera, Car-net App connection)

POWER

- 48V Lithium battery pack
- 48V 6.3KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 1200W on-board charger faster charging
- Limited speed 30kph



9" Bluetooth Touchscreen W/Backup Camera



USB Socket + 12V Power Outlet ck- Color matched dashboard



14" Color Matched Off Road Tire



ar Stereo



Folding Rear Seat Trunk & Holder

Color matching standard














HDK ELECTRIC VEHICLE





- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body

DIMENSIONS

• 3280×1400×2200mm



SPEC.

- 4 passengers
- 48V 6.3KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 215/35R14" off road tire & 14" alloy rims with color decorative trim
- · Beige color seat
- Lithium battery
















HDK ELECTRIC VEHICLE





- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body
- New plastic folding rear seat W/
 Storage Compartment & water
 holder

DIMENSIONS

• 3760×1400×2200mm





SPEC.

- 6 passengers
- 48V 6.3KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 215/35R14" off road tire & 14" alloy rims with color decorative trim
- · Beige color seat
- Lithium battery
















HDK ELECTRIC VEHICLE





- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body

DIMENSIONS

- 3000×1400×2000mm
- Cargo box: 1100×1170×275mm





SPEC.

- 2 passengers
- 48V 6.3KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 30kph
- 215/35R14" off road tire & 14" alloy rims with color decorative trim
- Beige color seat
- Lithium battery















HDK ELECTRIC VEHICLE



TURFMAN 700 EEC

www.hdkexpress.com



BODY & CHASSIS

- Automotive designed dashboard, color matched body.
- USB socket + 12V powder outlet
- E-coat and powder coated chassis
- TPO injection moulding front cowl and rear body

DIMENSIONS

- 3000×1400×2000mm
- Cargo box:1100×1100×275mm





- 2 passengers
- 48V 6.3KW AC motor
- EV48-400 AC Controller 400 AMP
- 48V 25A on-board charger
- Limited speed 38kph
- 10×7" Alum wheel and E-mark road tire
- Lithium battery
 E-mark approved windshield with wiper
- E-mark three point seat belts
- · E-mark reflector
- EEC approved horns, lights and switches
- · VIN plate and license plate
- Hydraulic brake
- Speedometer
- · EEC approved roll bar support
- Beige color seat

















HDK ELECTRIC VEHICLE