


HDW101_001LZ08

10.1 Inch, 1024xRGBx600, 16.7M Colors, IPS screen

CTP, HDMI interface display



Record of Revision

Ver	Revise Date	Content	Editor
00	2022-12-12	First Edition	Kaya

● Display

Item	Parameter	Description
Color	16.7M(16777216)colors	24 bit color 8R8G8B
Panel Type	IPS	IPS TFT LCM ,wide viewing angle
Viewing Angle	85/85/85/85 (L/R/U/D)	Best View: symmetrical
Active Area (A.A.)	222.70mm(W)x125.30mm(H)	1024x600
Resolution	1024x600	Support 0°/90°/180°/270°rotated display
Backlight	LED	≥20000H (Continuous working with maximum brightness, time of the brightness decays to 50%)
Brightness	500nit	-

Note:You can use dynamic screen saver wallpapers to avoid afterimages caused by fixed page display for a long time.

● Voltage & Current

Item	Description	
Power Voltage	5~36V, typical value of 12V	
Current parameters	580mA	VCC=5V (Minimum starting voltage)
	300mA	VCC=12V (Standard supply voltage)
	140mA	VCC=36V (Maximum supply voltage)

Recommended power supply: 12V 1A DC

● Reliability Test

Item	Conditions	Min	Typ	Max	Unit
Working Temperature	60%RH at 12V voltage	-20	25	70	℃
Storage Temperature	-	-30	25	80	℃
Working Humidity	25℃	10%	60%	90%	RH
Electrostatic discharge test	Contact discharge	-	±6KV	-	-
	Air discharge	-	±8KV	-	-
EFT		-	±2KV	-	-

● Interface

Item	Description
Socket	power interface, HDMI interface
USB Interface	Yes (Connect USB capacitive touch screen)
SD Card Slot	None

- **Peripheral**

Peripheral	Capacitive touch panel
-------------------	------------------------

- **Packing Capacity & Dimension**

Dimension				
Dimension	235.0(W)x143.0(H)x20.60(T)mm			
Net Weight	455g			
Packing Capacity				
Model	Size	Layer	Quantity/Layer	Quantity(Pcs)
Carton1:	220mm(L)x160mm(W)x47mm(H)	-	-	-
Carton2:	250mm(L)x200mm(W)x80mm(H)	-	-	-
Carton3:	320mm(L)x270mm(W)x80mm(H)	2	1	2
Carton4:	450mm(L)x350mm(W)x300mm(H)	1	10	10
Carton5:	600mm(L)x450mm(W)x300mm(H)	1	16	16

Disclaimer: The product design is subject to alternation and improvement without prior notice.

DWIN Technologies Technical Document

