


Shenzhen Fangcheng Teaching Equipment Co., Ltd

Add: Bldg A2-1, DaweiShahe Industrial Park, Jiangshi Road, Guangming New District, Shenzhen, CN

## Interactive Smart Boards

[www.ei-whiteboard.com](http://www.ei-whiteboard.com)



Demo link: <https://youtu.be/P5UeoaQRKXw>

### PRODUCT INTRODUCTION

EIBOARD LED Interactive Touch Screen is a multimedia display device, integrated imaging, audio, video, interaction, animation and PC technology in one. Upgraded on interactive smart board, it simplifies connection and installation. It's widely used in education, business and corporations for efficient presentation.

With sliding lock design, it protects the front ports and menu buttons from man-made damage.

### APPLICATION



## Product Dimension

Items / Model No.	FC-65LED
Product dimension	1515*947*112mm
Packing dimension	1620*1054*200mm
Weight(N.W/G.W)	48kg/58kg

## Technical Parameters

Item Name	LED Interactive Touch Screen	
LED Panel	LED Panel	65"
	Screen Type	LED
	Resolution	3840(H)×2160(V) (UHD)
	Color	10 bit 1.07B
	Active Size	1428.48*803.52mm
	Aspect Ratio	16 : 9
	Brightness	400cd/m2
	Contrast	5000:1 (according to panel brand)
	Viewing Angle	178°
	Display Protection	4 mm with anti-glare explosion-proof tempered glass
	Backlight Lifetime	60000 hours
Electrical performance	Max Power	≤250W
	Standby Power	≤0.5W
	Voltage	110-240V(AC) 50/60Hz
Operating System	Built In	Android 11.0 , CPU: A55*4, Quad-Core,1.9GHz; WIFI + Bluetooth
	Android System	RAM4GB ; ROM 32GB
	OPS PC	Core i3, 12 <sup>th</sup> Generation Intel integrated UHD graphics;
		8GB ;128GB SSD; with Genuine Windows 11 Pro 64bit (Factory Loaded); WIFI + BT 5.0
Interface	HDMI*2 (in & out); USB 3.0*2; USB 2.0*1; USB Type-C*1; RJ45*1; Audio 3.5mm*1	
Touch	Touch Technology	IR touch; 40 points in windows/ 20 Points in Android; HIB Free drive

	Touch Items	Main screen and sub-screen can work simultaneously.
	Response Speed	≤ 6ms
	Operation System	Support Windows 10/11, Android, Mac OS, Linux
<b>TV</b>	Image Format	PAL/SECAM/NTSC (Optional), channel storage 200
	Speaker	15W*2 / 8Ω
<b>Ports</b>	Input Ports	AV*1pcs; RF*1pcs; VGA*1pcs; Ypbpr*1pcs; Audio*1pcs(front 1); LAN*1pcs; TF*1pcs; HDMI*3pcs (front 1); DP*1
	Output Ports	AV out*1pcs (3 in 1) ; Earphone*1pcs; SPDIF*1pcs; Audio*1pcs
	Other Ports	Touch USB*2pcs(front 1); TV-USB2.0*3pcs(front 1); USB3.0*3pcs (front 1);
	Function Buttons	8 buttons in the front
<b>Other Functions</b>	Support dual systems: fast switching between Android and Windows systems	
	Support multiple signal source selection	
	Support sleep timing	
	Support shutdown memory channel function	
	TPM 2.0 Security; Sliding front door can protect the keys	
	Support F1-F12 function keys commonly used by computer keyboards	
	Support one-key child lock, U disk lock function	
	Support automatic identification of signal sources and switching channels	
	Support dual-stream decoding of 3D content	
	Support one-click energy saving	
Split Screen Feature		
<b>Teaching Application</b>	Interactive Teaching Application with user friendly whiteboard functions. Capable to shift Sinhala & Tamil language in application.	
<b>Accessories</b>	Power cable*1 pcs; USB touch cable*1 pcs; Touch Pen*2 pcs; Instruction manual*1 pcs ; Warranty card*1 pcs; Wall brackets*1 set; Remote Controller*1 pcs	