



www.hebeiyilong.com

Hebei Neweast Yilong Trading Co.,LTD.



www.hebeiyilong.com




www.hebeiyilong.com

Aluminium Industrial Ladder EN131



HEBEI NEWEAST YILONG TRADING CO., LTD. Is located in Shijiazhuang, the capital of Hebei province China. We have exported various Ladder products mainly to European Countries, include Italy, Portugal, also we export to Australia, such as Melbourne, and so on. We also can produce as your requirement. We have Aluminum, steel and Fiberglass materials, many kinds of Ladders for your choose.

Our faith is supplying the customers with perfect quality and good service, believe us, we will be your good partners in the future business.



Max.Load 150 kg
Spacing between rungs 290mm

Item	Step	A(mm)	B(mm)	W.(kg)	PS(mm)	20'	40'	40'H
YL-1707	7	2010	380	2.95	202*38*7	600	1200	1360
YL-1708	8	2290	380	3.4	230*38*7	400	1000	1133
YL-1709	9	2570	380	3.85	258*38*7	441	882	1000
YL-1710	10	2850	380	4.3	286*38*7	395	790	907
YL-1711	11	3130	380	4.75	314*38*7	375	750	850
YL-1712	12	3410	380	5.2	342*38*7	333	666	756
YL-1713	13	3970	380	5.65	398*38*7	300	600	680




www.hebeiyilong.com

Aluminium Industrial Ladder EN131



YL-1808



Max.Load 150 kg
Spacing between rungs 280mm

Item	Step	A(mm)	B(mm)	C/D(mm)	E(mm)	N.W.(kg)	Pa.Size(mm)	20'	40'	40'H
YL-1806	6	1765	2475	380/440	1700	5.8	180*44*11	310	673	754
YL-1807	7	2045	3035	380/440	1950	6.6	208*44*11	260	581	651
YL-1808	8	2325	3595	380/440	2250	7.47	236*44*11	229	512	573
YL-1809	9	2605	4155	380/440	2500	8.31	264*44*11	205	457	512
YL-1810	10	2885	4715	380/440	2800	9.15	292*44*11	185	413	463




www.hebeiyilong.com

Aluminium Industrial Ladder EN131



YL-1608



Max.Load 150 kg
Spacing between rungs 280mm

Item	Step	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G/H/I(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1606	6	1765	2475	1700	1700	2600	3435	340/400/460	9.4	176*46*18	207	414	469
YL-1607	7	2045	3007	1956	1240	3160	4277	340/400/460	10.7	204*46*18	176	352	403
YL-1608	8	2325	3540	2230	1410	3720	5120	340/400/460	11.8	232*46*18	156	312	354
YL-1609	9	2605	4072	2495	1580	4280	5962	340/400/460	13.2	260*46*18	140	280	349
YL-1610	10	2885	4604	2760	1750	4840	6804	340/400/460	14.6	288*46*18	126	252	286
YL-1611	11	3165	5136	3025	1920	5400	7646	340/400/460	15.5	316*46*18	115	230	261
YL-1612	12	3445	5655	3360	2115	5980	8480	340/400/460	17.1	344*46*18	133	266	236
YL-1613	13	3720	6180	3634	2415	6535	9050	340/400/460	18.1	372*46*18	97	194	220



www.hebeiyilong.com

Aluminium Double Function Ladder




Item	Step	A(mm)	B(mm)	C(mm)	N.W.(kg)	Pa.Size(mm)	20'	40'	40'H
YL-1804B	4	1210	870	2240	7.2	129*37*13	500	1000	1133
YL-1805B	5	1490	920	2800	8.2	157*37*13	400	800	906
YL-1806B	6	1770	970	3360	9.2	185*37*13	333	666	756
YL-1806A	6	1730	1200	3400	7.1	183*38*13.5	333	666	756
YL-1807A	7	1980	1700	3960	8.1	211*38*13.5	278	556	630
YL-1808A	8	2230	2200	4520	9.1	239*38*13.5	244	488	553



www.hebeiyilong.com

Aluminium Multi-Functional Ladder EN131



Item	Step	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1102	2	1230	900	2600	720	730	1590	9.8	72*28*38	407	815	943
YL-1103	3	1800	1210	3720	1005	1020	2310	11.02	101*28*38	295	603	738
YL-1104	4	2320	1520	4780	1280	1290	2930	12.65	128*28*38	235	475	537




www.hebeiyilong.com

Aluminium Multi-Functional Ladder EN131



YL-1103A



Max.Load 150 kg
Spacing between rungs 280mm

Item	Step	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1102A	2	1200	900	2500	730	720	1580	10	72*28*38	339	757	848
YL-1103A	3	1700	1230	3460	960	940	2230	11.6	101*28*38	241	539	604
YL-1104A	4	2210	1560	4600	1220	1200	2880	13	128*28*38	190	425	477




www.hebeiyilong.com

Aluminium Multi-Functional Ladder EN131



YL-1103B



Max.Load 150 kg
Spacing between rungs 280mm

Item	Step	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1103B	3	1760	1070	3600	980	960	2310	14	98*26*36	350	706	790
YL-1104B	4	2270	1400	4600	1260	1220	2900	16	126*26*36	258	529	620



www.hebeiyilong.com

Aluminium Telescopic Ladder EN131



www.hebeiyilong.com


Aluminium Telescopic Ladder EN131



YL-1002



YL-1004



Max.Load 280 kg
Spacing between rungs 300mm

Item	Step	A(mm)	B(mm)	C(mm)	D(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1001	6	2000	520	680	300	5.1	70°47'8	1153	2300	2615
YL-1002	8	2600	520	720	300	7.1	78°53'13	566	1132	1283
YL-1003	10	3200	520	770	300	9.1	83°53'13	526	1052	1193
YL-1004	12	3800	520	820	300	11.1	88°53'13	500	1000	1133




YL-1001A



Max.Load 280 kg
Spacing between rungs 300mm

Item	Step	A(mm)	B(mm)	C(mm)	D(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1001A	12	3800	520	860	300	13.5	88°52'25	244	520	600
YL-1002A	16	5066	520	920	300	15.5	94°52'25	230	480	560






www.hebeiyilong.com

Aluminium Multi-Functional Ladder EN131



YL-1505



Max.Load 150 kg
Spacing between rungs 280mm

Item	Step	A(mm)	B(mm)	C(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1505	10	1710	1010	2450	5.7	187*13*47	261	522	592




www.hebeiyilong.com

Aluminium Multi-Functional Ladder EN131



YL-1303



Max.Load 150 kg
Spacing between rungs 280mm

Item	Step	A(mm)	B(mm)	C(mm)	D(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1303	3	1010	1500	930	3020	10.5	102*22*50	267	534	606
YL-1304	4	1290	2040	1260	4160	12.5	130*25*55	168	335	380
YL-1305	5	1560	2570	1540	5280	14.5	156*28*56	109	220	278



www.hebeiyilong.com

Aluminium Household Ladder EN131




YL-1405



YL-1404



YL-1403



Max.Load 150 kg
Spacing between rungs 300mm

Item	Step	A(mm)	B(mm)	C(mm)	D(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1403	3	1120	590	400	600	2.7	118*12*40	448	896	1100
YL-1404	4	1320	720	430	790	3.2	140*12*43	336	672	880
YL-1405	5	1530	850	450	990	3.67	160*12*45	268	536	660
YL-1406	6	1700	950	480	1180	4.2	178*12*49	240	480	620
YL-1407	7	1880	960	500	1380	4.75	203*12*50	212	424	580
YL-1408	8	2100	1230	520	1570	5.36	223*12*52	176	352	460



www.hebeiyilong.com


Aluminium Household Ladder EN131



YL-1404A



YL-1404B



Max.Load 150 kg
Spacing between rungs 260mm

Item	Step	A(mm)	B(mm)	C(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1402A	2	840	440	420	1.8	92*28*67CM/4PCS	648	1344	1572
YL-1403A	3	1100	655	470	2.3	121*28*73CM/4PCS	636	1320	1552
YL-1404A	4	1380	790	525	2.8	149*28*78CM/4PCS	452	936	1080
YL-1405A	5	1675	910	550	3.4	179*28*79.5CM/4PCS	344	700	820

Max.Load 150 kg
Spacing between rungs 260mm

Item	Step	A(mm)	B(mm)	C(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1402B	2	500	445	390	1.5	56*28*69.5CM/4PCS	1024	2128	2492
YL-1403B	3	750	525	435	2.2	84*28*74.5CM/4PCS	636	1320	1552
YL-1404B	4	1000	780	485	2.95	110*28*80CM/4PCS	452	940	1100
YL-1405B	5	1260	930	505	3.7	136*28*81CM/4PCS	360	740	868
YL-1406B	6	1500	1115	550	4.2	163*28*85CM/4PCS	288	584	688



Aluminium Scaffolding EN131



Max.Load 150 kg
Spacing between rungs 280mm

Item	Step	A(mm)	B(mm)	C(mm)	Platform Size(cm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1105	5	1400	1200	1980	1470*405	17	140*43*18	254	590	650
YL-1106	6	1680	1450	2520	1470*405	18	169*43*18	220	510	550
YL-1107	7	1960	1700	3060	1470*405	19	198*43*18	230	460	530
YL-1106A	6	1680	1450	2520	1470*405	18.5	169*43*18	220	510	550
YL-1107A	7	1960	1700	3060	1470*405	19.5	198*43*18	230	460	530



Aluminium Work Platform BS2037



Max.Load 150 kg
Spacing between rungs 200mm

Item	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1202	860	300	500	1240	400	5.5	90*17*40	440	860	1010
YL-1203	760	300	490	1060	420	3.6	78*14*42	586	1230	1440
YL-1203A	760	300	490	1060	420	3.5	78*14*42	586	1230	1440
YL-1204	990	380	500	1320	450	4.8	102*14*45	460	922	1020
YL-1205	950	300	495	1280	380	7.2	100*39*20	610	1220	1424



www.hebeiyilong.com

Steel Household Ladder EN131&14183



YL-1403C



YL-1403D



Max.Load 150 kg
Spacing between rungs 230mm

Item	Step	A(mm)	B(mm)	C(mm)	D(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1402C	2	870	500	480	475	5.25	105.5*26.5*48/4PCS	880	1800	2068
YL-1403C	3	1060	640	480	665	7	131.5*27*48.5/4PCS	640	1320	1560
YL-1404C	4	1330	765	480	935	9.6	158*27*51/4PCS	544	1020	1200
YL-1402D	2	1010	580	470	700	6.25	112*29*48/4PCS	748	1540	1636
YL-1403D	3	1240	790	480	930	7.7	138*27*48/4PCS	612	1248	1480



YL-1403E



YL-1403F



Max.Load 150 kg
Spacing between rungs 230mm

Item	Step	A(mm)	B(mm)	C(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1402E	2	778	485	480	5	95*32*48/4PCS	800	1600	1860
YL-1403E	3	1130	670	480	6	133*56*48/4PCS	336	672	760
YL-1403F	3	1330	650	550	7.5	142*54*32/4PCS	488	488	1112



www.hebeiyilong.com

Steel Household Ladder EN131&14183



YL-1403G



YL-1403H



Max.Load 150 kg
Spacing between rungs 230mm

Item	Step	A(mm)	B(mm)	C(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1403G	3	1390	670	500	8	150*50*22/4PCS	364	728	824
YL-1402H	2	1230	520	530	5	135*53*32/4PCS	264	528	596
YL-1403H	3	1460	670	550	6.5	158*55*32/4PCS	216	432	490
YL-1404H	4	1690	820	570	8	181*57*32/4PCS	182	364	412



YL-1402J



YL-1403K



Max.Load 150 kg
Spacing between rungs 230mm

Item	Step	A(mm)	B(mm)	C(mm)	D(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1402J	2	930	460	420		4.0	101*32*42/4PCS	888	1776	2012
YL-1402K	2	790	485	450	450	3.9	87.5*22.5*46.5/6PCS	1944	4044	4860
YL-1403K	3	1005	655	450	675	5.4	112.5*15.5*46.5/5PCS	1540	3120	3536
YL-1404K	4	1220	825	450	900	7.1	138*15.5*46.5/4PCS	1000	2048	2252



www.hebeiyilong.com


Insulated Super Light Telescopic Ladder



YL-1901

Dielectric Voltage-Withstand Test

220KV



Max.Load 150 kg
Spacing between rungs 400mm

Item	Step	A(mm)	B(mm)	C(mm)	D(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-1901	5	2000	400	760	400	5.5	85*45*47/5pcs	778	1613	1752
YL-1902	7	2800	400	850	400	7.7	90*45*47/5pcs	735	1523	1654
YL-1903	8	3200	400	900	400	8.8	100*45*47/5pcs	660	1370	1490
YL-1904	10	3800	400	1160	400	10.5	120*45*47/5pcs	550	1142	1240



Super Light Fiberglass Pipe



www.hebeiyilong.com

Insulated A type Ladder



YL-2001

Max.Load 150 kg
Spacing between rungs 370mm


Item	Step	A(mm)	B(mm)	C(mm)	D(mm)	W(kgs)	PS(cm)	20'	40'	40'H
YL-2001	4	1460	490	370	1500	10	160*50*22	160	330	360
YL-2002	6	1960	490	370	2000	14	210*50*22	120	250	270
YL-2003	7	2460	490	370	2500	18	260*50*22	100	200	220

Fiberglass

Aluminium

Dielectric Voltage-Withstand Test

35KV



Insulated Fiberglass Fence



Lined writing area with horizontal lines.



Lined writing area with horizontal lines.



HEBEI NEWEAST YILONG TRADING CO.,LTD.

B-1904,Century Ark Building,91 Guang An
Street,Shijia zhuang,Hebei,China

Tel: +86-311-86662196/86662198/86662199

Fax: +86-311-86662200

Post code: 050011

E-mail: yilong@188.com yilong1@heinfo.net

www.hebeiyilong.com