

# Technical proposal for JX-DF-RN-5-3 Coaxial Load

## Revision History

Version	Date	Author	Revision description	Comment
V1.0	2017/11/22	Lin liqun	Created	/

**JING XIN MICROWAVE TECHNOLOGY CO.,LTD**

E-mail: [sales@cdjx-mw.com](mailto:sales@cdjx-mw.com) Web: <http://www.cdjx-mw.com>

TEL: +86-28-85026087 FAX: +86-28-65941390 Zip Code:610045

Add: No.65,West 1st Wu Ke Road, Wu Hou District, Cheng Du City, Si Chuan Province, China.

## Table of content

Technical proposal for JX-DF-RN-5-3 Coaxial Load .....	1
1. Mechanical layout.....	3
2. Electrical Specifications.....	3

## Figures

Figure 1 JX -DF-RN-5-3 front panel layout.....	3
--	---

## Tables

Table 1 Mechanical Specifications .....	3
Table 2 Electrical specifications.....	3

**JING XIN MICROWAVE TECHNOLOGY CO.,LTD**

E-mail: [sales@cdjx-mw.com](mailto:sales@cdjx-mw.com) Web: <http://www.cdjx-mw.com>

TEL: +86-28-85026087 FAX: +86-28-65941390 Zip Code:610045

Add: No.65,West 1st Wu Ke Road, Wu Hou District, Cheng Du City, Si Chuan Province, China.

## 1. Mechanical layout

Table 1 Mechanical Specifications

Dimension	$\phi 20\text{mm} \times 36\text{mm}$ ( $\pm 0.5\text{mm}$ )
Connectors	N-Male
Weight	34g
Notes	Material shall be RoHS 6/6




Figure 1 JX -DF-RN-5-3 front panel layout

## 2. Electrical Specifications

Table 2 Electrical specifications

Item	Parameter	Specification
1	Frequency rang	DC-3GHz
2	VSWR	$\leq 1.2$
3	Power	5W
4	Temperature range	$-55^{\circ}\text{C} \sim +125^{\circ}\text{C}$
5	Impedance all ports	$50\Omega$

**JING XIN MICROWAVE TECHNOLOGY CO.,LTD**

E-mail: [sales@cdjx-mw.com](mailto:sales@cdjx-mw.com) Web: <http://www.cdjx-mw.com>

TEL: +86-28-85026087 FAX: +86-28-65941390 Zip Code:610045

Add: No.65,West 1st Wu Ke Road, Wu Hou District, Cheng Du City, Si Chuan Province, China.